



RESULTS REPORT

540 East Main Street, Branford, CT 06405
Phone: (475) 338-1169

Lab Director: Roy Huchzermeier Ph.D.
CLIA# 07D2172174
State ID: CL-0995

Patient

Name: Test test
ID: 7033
Gender: Other
DOB: 09/23/2022

Matrix - Urine

Accession #: 118393
Collection Date: 10/19/2022
Received Date: 10/19/2022
Reported Date: 10/19/2022

Provider

Doctor: Marcus Welby
Name: Genco Lab

Summary

Prescribed drug found (CONSISTENT) - Parent Drug or metabolite was detected

Reported Prescription	Anticipated Positives(s)	Test Outcome
Alprazolam	Alprazolam	NOT DETECTED
	↔Alpha-OH Alprazolam	NOT DETECTED

Prescribed drug not found (INCONSISTENT) - Parent Drug or metabolite was not detected

Reported Prescription	Anticipated Positives(s)	Test Outcome
-----------------------	--------------------------	--------------

Non-prescribed drug found (INCONSISTENT) - Suggests illicit or non-prescribed drug taken

Detected Analyte	Anticipated Positives(s)	Illicit	Result	CutOff	Test Outcome
------------------	--------------------------	---------	--------	--------	--------------

Medication prescribed but not tested

None

Historical results	10/6/2022 117140	10/6/2022 117139	10/3/2022 116767	9/23/2022 115947	
Prescribed drug found					
Prescribed drug not found	Alprazolam(0.00) Alpha-OH Alprazolam(0.00)	Alprazolam(0.00) Alpha-OH Alprazolam(0.00)			
Non-prescribed or illicit drug found					

Detailed

Test Name	Outcome	Result [ng/mL]	Cutoff
Benzodiazepines			
Alpha-OH Alprazolam	NOT DETECTED	0.00	50
Alprazolam	NOT DETECTED	0.00	50



RESULTS REPORT

Patient	Matrix - Urine	Provider
Name: Test test	Accession #: 118393	Doctor: Marcus Welby
ID: 7033	Collection Date: 10/19/2022	Name: Genco Lab
Gender: Other	Received Date: 10/19/2022	
DOB: 09/23/2022	Reported Date: 10/19/2022	

Compliance Drug Monitoring (CDM) testing performed at Genco Labs LLC:
Presumptive (ImmTox 270) and Confirmatory (UPLC/MS/MS) Toxicology protocols were developed and their performance characteristics determined by Genco Labs LLC. These results should be used for compliance drug monitoring only, and not for forensic applications. This test protocol has not been cleared or approved by the FDA. However, such approval/clearance is not required, as the laboratory is regulated and certified under CLIA and COLA to perform high-complexity testing. This test should not be regarded as investigational or for research.